

SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal cross code
diameter section

1.2	1.1	I
1.25	1	I
1.5	0.8	I
1.5	1	I
1.5	0.8	I
1.8	1	I
1.8	1.5	I
1.9	2	I
1.9	2.55	I
1.9	0.8	I
2	1	I
2	1.1	I
2	1.2	I
2	1.5	I
2	1.6	I
2	2	I
2.2	1	I
2.2	1.58	I
2..35	1	I
2.4	1.05	I
2.4	1.3	I
2.5	0.65	I
2.5	0.8	I
2.5	1.15	I
2.5	1.5	I
2.5	1.6	I
2.6	0.9	I
2.6	1	I
2.6	1.2	I
2.6	1.25	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
2.6	2.4	I
2.7	1.5	I
2.7	2.8	I
2.8	0.8	I
2.8	1.6	I
2.8	1.9	I
2.8	2.7	I
2.85	2.32	I
2.9	1.2	I
2.92	2.87	I
3	1.04	I
3	1.2	I
3	1.5	I
3	1.8	I
3	2	I
3	2.5	I
3	3	I
3.1	1.6	I
3.2	1.2	I
3.2	1.8	I
3.3	0.72	I
3.3	1.5	I
3.3	2.4	I
3.4	1.4	I
3.4	2	I
3.5	1	I
3.5	1.2	I
3.5	1.4	I
3.6	2.7	I
3.7	1.6	I
3.7	1.9	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
3.8	1.3	I
3.9	1.8	I
3.9	1.9	I
3.9	2.4	I
3.91	0.97	I
4	0.6	I
4	1	I
4	1.2	I
4	1.4	I
4	1.5	I
4	2	I
4	2.2	I
4	2.5	I
4	3	I
4	4	I
4.1	1.6	I
4.1	1.8	I
4.3	2.4	I
4.32	1.2	I
4.35	1	I
4.35	1.5	I
4.4	0.8	I
4.4	1.1	I
4.5	1	I
4.5	1.05	I
4.5	1.5	I
4.5	4.2	I
4.57	1.65	I
4.6	0.75	I
4.6	2	I
4.6	2.4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
4.7	1	I
4.75	0.9	I
5	0.8	I
5	1	I
5	1.2	I
5	1.25	I
5	1.5	I
5	1.72	I
5	2	I
5	2.2	I
5	2.65	I
5	3	I
5.05	1.65	I
5.1	1.6	I
5.2	1	I
5.3	0.8	I
5.3	2.4	I
5.31	1.27	I
5.5	1	I
5.5	1.5	I
5.5	1.8	I
5.5	2	I
5.5	2.1	I
5.5	3	I
5.6	2.4	I
5.61	1.68	I
5.7	1.2	I
5.8	1.9	I
5.8	2.5	I
5.82	1.78	I
5.84	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
5.9	2.75	I
6	0.8	I
6	1	I
6	1.25	I
6	1.25	I
6	1.4	I
6	1.5	I
6	2.2	I
6	2.3	I
6	2.5	I
6	3	I
6	4	I
6	5	I
6	5.3	I
6	6	I
6.1	1.15	I
6.15	0.8	I
6.2	1	I
6.2	1.5	I
6.3	1.22	I
6.3	2	I
6.3	2.4	I
6.3	2.5	I
6.4	1.3	I
6.4	1.6	I
6.5	1	I
6.5	1.5	I
6.5	1.6	I
6.65	1.5	I
6.65	2.4	I
6.7	1	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
6.97	3.53	I
7	0.5	I
7	1	I
7	1.2	I
7	1.5	I
7	1.8	I
7	2	I
7	2.3	I
7	2.5	I
7	3	I
7	4	I
7.1	1.6	I
7.1	1.6	I
7.1	1.8	I
7.2	1.3	I
7.49	1.75	I
7.5	0.6	I
7.5	0.8	I
7.5	1	I
7.5	1.5	I
7.5	2	I
7.5	2.2	I
7.5	2.5	I
7.5	3	I
7.5	3.2	I
7.5	1.5	I
7.6	1.2	I
7.6	2.4	I
7.6	2.4	I
7.6	4	I
7.65	1.52	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
7.7	1.4	I
7.8	1.9	I
7.8	3.6	I
7.93	4.76	I
7.9	1.6	I
7.93	4.76	I
8	0.6	I
8	0.8	I
8	1	I
8	1.1	I
8	1.25	I
8	1.5	I
8	2	I
8	2.06	I
8	2.4	I
8	2.5	I
8	3	I
8	3.5	I
8	4.8	I
8.1	1.6	I
8.13	1.78	I
8.2	1.5	I
8.28	2.62	I
8.3	0.8	I
8.3	2.4	I
8.38	1.27	I
8.5	1	I
8.5	1.5	I
8.5	2	I
8.5	2.5	I
8.5	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
8.51	0.91	I
8.6	1.2	I
8.8	1	I
8.8	1.5	I
8.8	2.1	I
8.9	1.25	I
8.9	1.25	I
8.9	1.25	I
9	1	I
9	1.2	I
9	1.3	I
9	1.5	I
9	2	I
9	2.2	I
9	2.5	I
9	3	I
9.1	1.6	I
9.12	1.78	I
9.13	1.78	I
9.13	2.62	I
9.2	1.1	I
9.2	1.1	I
9.2	3	I
9.27	0.66	I
9.3	2.2	I
9.3	2.4	I
9.4	1.3	I
9.4	2.1	I
9.5	0.8	I
9.5	1	I
9.5	1.4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
9.5	1.5	I
9.5	1.6	I
9.5	1.75	I
9.5	2	I
9.5	2.5	I
9.5	2.8	I
9.5	3	I
9.5	3	I
9.5	3.5	I
9.5	4.5	I
9.5	6	I
9.53	3.18	I
9.6	2	I
9.6	2.4	I
9.7	1.6	I
9.72	2.72	I
9.75	1.78	I
9.8	1.9	I
9.8	2.4	I
9.8	5.8	I
9.82	1.27	I
9.91	0.91	I
10	1	I
10	1.2	I
10	1.3	I
10	2	I
10	2.1	I
10	2.2	I
10	2.5	I
10	3	I
10	3.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
10	4	I
10	5	I
10	5.7	I
10	6.5	I
10	8	I
10.01	1.91	I
10.1	1.6	I
10.1	1.65	I
10.27	1.06	I
10.3	0.75	I
10.3	0.75	I
10.3	2.4	I
10.41	1.27	I
10.5	1.5	I
10.5	1.6	I
10.5	1.75	I
10.5	1.8	I
10.5	2.7	I
10.6	2	I
10.6	2.4	I
10.8	1.2	I
10.8	2.4	I
10.8	2.8	I
11	0.7	I
11	1	I
11	1.3	I
11	1.5	I
11	1.6	I
11	2	I
11	2.5	I
11	2.8	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
11	3	I
11	3.5	I
11	4	I
11	5	I
11	7	I
11.05	0.64	I
11.1	1.6	I
11.18	0.76	I
11.2	1.9	I
11.3	2.2	I
11.3	2.4	I
11.4	2.1	I
11.4	2.8	I
11.43	1.91	I
11.5	1	I
11.5	1.5	I
11.5	2	I
11.5	2.2	I
11.5	2.8	I
11.5	3	I
11.5	3.9	I
11.6	1.2	I
11.6	1.8	I
11.6	2.2	I
11.6	2.2	I
11.6	2.4	I
12.1	1.2	I
12.2	1.3	I
12.2	2.5	I
12.24	4.5	I
12.3	2.1	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
12.3	2.4	I
12.37	2.76	I
12.5	0.8	I
12.5	1	I
12.5	1.5	I
12.5	1.6	I
12.5	1.7	I
12.5	1.8	I
12.5	2	I
12.5	2.5	I
12.5	3.2	I
12.55	1.4	I
12.57	1.14	I
12.7	2.4	I
12.7	9.53	I
13	0.9	I
13	1	I
13	1.25	I
13	1.5	I
13	1.8	I
13	2	I
13	2.2	I
13	2.45	I
13	2.5	I
13	3	I
13	3.2	I
13	3.5	I
13	4	I
13	4.5	I
13	5	I
13.2	1.6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
13.2	2.5	I
13.26	1.52	I
13.3	1.8	I
13.3	2.2	I
13.3	2.4	I
13.4	1	I
13.4	2.9	I
13.44	2.1	I
13.5	0.8	I
13.5	1.3	I
13.5	1.5	I
13.5	2	I
13.5	2.5	I
13.5	2.75	I
13.5	3.4	I
13.5	3.5	I
13.5	4.25	I
13.6	2.3	I
13.6	2.4	I
13.7	3	I
13.8	1	I
13.8	2.4	I
14	1	I
14	1.1	I
14	1.2	I
14	1.5	I
14	1.6	I
14	1.92	I
14	2	I
14	2.5	I
14	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
14	4	I
14	4.5	I
14	5	I
14.1	1.6	I
14.3	2.4	I
14.4	2.62	I
14.43	0.91	I
14.5	1.5	I
14.5	1.8	I
14.5	2	I
14.5	2.1	I
14.5	3	I
14.5	3.5	I
14.55	3.2	I
14.55	3.5	I
14.6	1.8	I
14.6	2.4	I
14.6	3.2	I
14.78	2.39	I
14.8	1.6	I
15	1	I
15	1.25	I
15	1.25	I
15	1.78	I
15	2	I
15	2.5	I
15	3	I
15	3.2	I
15	3.5	I
15	3.8	I
15	4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
15	4.5	I
15.1	1.6	I
15.11	1.47	I
15.2	1.3	I
15.2	1.78	I
15.3	1.8	I
15.3	2.2	I
15.3	2.4	I
15.37	0.91	I
15.4	1	I
15.4	2.1	I
15.5	1.6	I
15.5	2.2	I
15.5	2.5	I
15.5	3.75	I
15.6	1.5	I
15.6	2.4	I
15.7	2.55	I
15.8	1.6	I
16	1	I
16	1.25	I
16	1.5	I
16	2	I
16	2.5	I
16	2.62	I
16	3	I
16	3.5	I
16	4	I
16	5	I
16	6	I
16.1	1.6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
16.15	1.78	I
16.25	3.18	I
16.3	0.8	I
16.3	2.4	I
16.5	1	I
16.5	1.5	I
16.5	2	I
16.5	2.7	I
16.5	2.8	I
16.5	4.5	I
16.51	1.14	I
16.56	1.78	I
16.65	1.1	I
16.75	1.2	I
16.8	2.4	I
17	0.6	I
17	1	I
17	1.1	I
17	1.2	I
17	1.5	I
17	2	I
17	2.5	I
17	3	I
17	3.2	I
17	4	I
17	4.5	I
17	6.5	I
17.1	1.6	I
17.2	3	I
17.3	2.2	I
17.3	2.4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
17.4	1.6	I
17.5	1.5	I
17.5	1.9	I
17.5	2	I
17.5	2.4	I
17.5	2.5	I
17.6	1.6	I
17.6	2.4	I
17.7	1.3	I
17.8	2.4	I
18	1	I
18	1.15	I
18	1.3	I
18	1.5	I
18	2	I
18	2.2	I
18	2.5	I
18	2.65	I
18	2.8	I
18	3	I
18	3.15	I
18	3.5	I
18	4	I
18	5	I
18	8.5	I
18	11	I
18.1	1.6	I
18.2	1.7	I
18.2	3	I
18.3	2.4	I
18.36	1.16	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
18.4	1.78	I
18.5	1.5	I
18.6	2	I
18.6	2.4	I
18.65	3.42	I
18.77	1.52	I
18.9	3.5	I
19	1	I
19	1.2	I
19	1.5	I
19	1.8	I
19	2	I
19	2.4	I
19	2.5	I
19	2.8	I
19	3.5	I
19	4	I
19.05	5.34	I
19.1	1.6	I
19.2	1.78	I
19.2	3	I
19.3	2.2	I
19.3	2.4	I
19.4	1.4	I
19.4	2.1	I
19.4	4.65	I
19.45	3.18	I
19.5	1	I
19.5	1.5	I
19.5	2	I
19.5	2.6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
19.5	3	I
19.6	2.4	I
19.63	2.62	I
19.69	2.29	I
19.7	1.5	I
19.8	4	I
20	1	I
20	1.3	I
20	1.5	I
20	2	I
20	2.25	I
20	3	I
20	3.5	I
20	4	I
20	5	I
20	6	I
20.07	2.16	I
20.19	1.27	I
20.22	3.53	I
20.22	3.68	I
20.3	2.4	I
20.45	7.11	I
20.5	1	I
20.5	2.5	I
20.6	0.9	I
20.6	2.1	I
20.62	2.36	I
20.8	3.9	I
21	1	I
21	1.1	I
21	1.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
21	2	I
21	2.2	I
21	2.5	I
21	3	I
21	3.5	I
21	4	I
21	7	I
21.1	1.6	I
21.2	1.4	I
21.3	2.4	I
21.5	1.5	I
21.5	2.5	I
21.5	3	I
21.5	4.5	I
21.6	2.4	I
21.7	2	I
21.7	3	I
22	1	I
22	1.2	I
22	1.3	I
22	1.5	I
22	1.6	I
22	2	I
22	2.15	I
22	2.4	I
22	2.5	I
22	2.62	I
22	3	I
22	4	I
22	5	I
22	6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
22.1	1.6	I
22.2	3.2	I
22.2	6.5	I
22.3	2.4	I
22.4	2.65	I
22.48	7.11	I
22.5	1.5	I
22.5	2	I
22.5	3	I
22.5	4	I
22.5	5	I
22.5	6	I
22.6	1.1	I
22.6	2.1	I
22.6	2.3	I
22.61	0.76	I
22.7	2.8	I
22.8	0.8	I
22.8	0.9	I
23	1	I
23	1.5	I
23	1.6	I
23	2	I
23	2.5	I
23	3	I
23	4	I
23	4.5	I
23	6	I
23	9	I
23	11	I
23.3	2.4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
23.5	1.2	I
23.6	2	I
23.6	3.8	I
23.7	2.8	I
23.8	3.9	I
24	1.2	I
24	1.5	I
24	1.6	I
24	2	I
24	2.5	I
24	3	I
24	3.5	I
24	4	I
24	5.5	I
24	7	I
24.2	2.4	I
24.3	4.2	I
24.43	2.54	I
24.5	2.3	I
24.5	2.4	I
24.5	2.7	I
24.5	3	I
24.5	3.8	I
24.5	4.5	I
24.59	1.75	I
24.6	2	I
25	0.8	I
25	1	I
25	1.3	I
25	1.4	I
25	1.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
25	2	I
25	2.2	I
25	2.5	I
25	2.6	I
25	2.8	I
25	3	I
25	4	I
25	4.5	I
25	5	I
25	6.5	I
25	7	I
25	8	I
25	10	I
25.1	1.6	I
25.1	2.3	I
25.2	2.8	I
25.3	2.4	I
25.4	0.76	I
25.4	6.35	I
25.58	1.78	I
25.6	1.93	I
25.7	2.4	I
26	1	I
26	1.2	I
26	1.5	I
26	2.25	I
26	2.5	I
26	3	I
26	3.5	I
26	4	I
26	4.8	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
26	5	I
26	8	I
26.2	3	I
26.3	2.4	I
26.8	3.9	I
27	1.5	I
27	2	I
27	2.5	I
27	3	I
27	3.5	I
27	4	I
27	4.3	I
27	6	I
27	7	I
27	8	I
27	10	I
27.1	1.6	I
27.3	2	I
27.3	2.4	I
27.3	3.15	I
27.44	3.53	I
27.5	1.5	I
27.5	1.78	I
27.5	3	I
27.5	4.5	I
27.6	2.4	I
27.7	2.4	I
28	1	I
28	1.2	I
28	1.3	I
28	1.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
28	2	I
28	2.5	I
28	3	I
28	3.2	I
28	4	I
28	4.3	I
28	4.5	I
28	5	I
28.1	3.1	I
28.5	1.5	I
28.5	2	I
28.5	2.5	I
28.5	3	I
28.5	4.5	I
28.5	10	I
28.58	3.99	I
28.58	9.53	I
28.9	2.65	I
29	1.5	I
29	2	I
29	2.5	I
29	3	I
29	3.5	I
29	3.8	I
29	5	I
29.1	1.6	I
29.1	2.55	I
29.2	4.7	I
29.2	5.7	I
29.21	4.06	I
29.3	1	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
29.3	1.2	I
29.5	1.5	I
29.5	1.8	I
29.5	2	I
29.5	4.75	I
29.6	2.4	I
29.7	2.8	I
30	1	I
30	1.5	I
30	2	I
30	2.5	I
30	3	I
30	4	I
30	4.5	I
30	4.8	I
30	5	I
30	7	I
30.2	3	I
30.5	1	I
30.5	1.2	I
30.5	2	I
30.61	3.23	I
30.8	1	I
30.9	7.54	I
30.96	5.16	I
31	1.5	I
31	2	I
31	2.5	I
31	2.7	I
31	3	I
31	4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
31	4.5	I
31	5	I
31	14	I
31.12	5.34	I
31.5	1.2	I
31.5	3	I
31.5	3.15	I
31.5	4.5	I
31.5	5.5	I
31.75	2.08	I
31.75	6.35	I
31.8	1	I
32	1	I
32	1.5	I
32	1.78	I
32	2	I
32	2.5	I
32	3	I
32	3.5	I
32	4	I
32	4.5	I
32	5	I
32	8	I
32.1	1.6	I
32.2	3	I
32.5	3	I
32.7	1.3	I
32.75	1.57	I
33	1.5	I
33	2	I
33	2.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
33	3	I
33	3.6	I
33	4	I
33	6	I
33	8	I
33	15	I
33.2	2.4	I
33.3	2.4	I
33.5	2	I
33.7	2.2	I
33.91	2.41	I
34	1	I
34	1.2	I
34	1.4	I
34	1.5	I
34	2	I
34	2.3	I
34	2.5	I
34	3	I
34	3.5	I
34	4	I
34	5	I
34	5.5	I
34.2	3	I
34.29	1.2	I
34.5	3	I
34.5	9	I
34.6	2.4	I
34.7	2.8	I
34.9	6.35	I
35	1.2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
35	2	I
35	2.25	I
35	2.5	I
35	3	I
35	3.23	I
35	3.23	I
35	3.5	I
35	4	I
35	4.5	I
35	5	I
35	5.3	I
35	6	I
35	12.7	I
35.1	1.6	I
35.3	2.4	I
35.4	1.8	I
35.8	1	I
35.8	2.5	I
36	1.2	I
36	2	I
36	2.5	I
36	3	I
36	4	I
36	4.5	I
36	5	I
36	6.3	I
36	9	I
36	12	I
36.5	1	I
36.5	3	I
36.82	3.17	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
37	1	I
37	1.3	I
37	1.5	I
37	2	I
37	2.5	I
37	3	I
37	4	I
37	6	I
37.1	1.6	I
37.2	2.3	I
37.2	5.7	I
37.45	6.99	I
37.5	2.45	I
37.5	4.5	I
37.6	2	I
38	1	I
38	1.5	I
38	2	I
38	2.5	I
38	3	I
38	3.5	I
38	4	I
38	4.3	I
38	5	I
38	7	I
38.1	2.2	I
38.2	3.6	I
38.5	2.5	I
38.5	4	I
39	1	I
39	1.6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
39	2.5	I
39	3	I
39	4	I
39	5	I
39	5.5	I
39	6.5	I
39.1	1.3	I
39.29	3.53	I
39.4	3.1	I
39.5	3	I
39.5	3.2	I
39.62	3.25	I
40	1	I
40	1.5	I
40	2	I
40	2.5	I
40	3.15	I
40	3.8	I
40	4	I
40	5	I
40	6	I
40.2	2	I
40.2	3	I
40.3	2.4	I
40.5	2.5	I
41	1.2	I
41	1.5	I
41	2	I
41	2.5	I
41	3	I
41	3.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
41	5	I
41.5	1.5	I
41.5	2.75	I
41.5	3	I
41.6	2.4	I
42	1.5	I
42	1.6	I
42	2	I
42	2.5	I
42	2.62	I
42	3.5	I
42	4	I
42	4.5	I
42	5	I
42	6	I
42	15.5	I
42.2	3	I
42.4	1.2	I
42.86	6.35	I
43	1.5	I
43	2	I
43	2.5	I
43	3.5	I
43	4	I
43	4.5	I
43	5	I
43.5	3	I
43.6	4	I
43.9	2.3	I
44	1.5	I
44	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
44	2.5	I
44	3	I
44	4	I
44	5	I
44	6.5	I
44.2	3	I
44.2	3.3	I
44.2	5.7	I
44.4	1.6	I
44.5	3	I
44.5	3.15	I
44.6	2.4	I
45	1.5	I
45	1.8	I
45	2	I
45	2.5	I
45	3.6	I
45	4	I
45	4.5	I
45	5	I
45	5.3	I
45	5.5	I
45	6	I
45	6.99	I
45.2	3	I
45.49	1.78	I
45.5	5.5	I
45.84	1.78	I
46	1	I
46	1.1	I
46	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
46	2.5	I
46	3	I
46	4	I
46	5	I
46	7	I
46.05	7.92	I
46.2	6	I
46.2	10	I
46.4	1.2	I
46.5	3	I
46.5	5.33	I
46.6	5.8	I
47	2	I
47	2.5	I
47	3	I
47	3.2	I
47	4	I
47	4.5	I
47	5	I
47	7	I
47.2	2.4	I
47.2	5.7	I
47.3	3.9	I
47.4	4	I
47.5	3.15	I
47.5	9	I
47.62	6.35	I
48	1	I
48	1.2	I
48	1.5	I
48	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
48	3	I
48	3.5	I
48	4	I
48	5	I
48	6.5	I
48	7	I
48	10	I
48.7	5.3	I
49	0.5	I
49	2	I
49	2.5	I
49	3	I
49	5.5	I
49	6	I
49	6.5	I
49	9	I
49.07	1.73	I
49.2	1.8	I
49.2	4.3	I
49.2	5.7	I
49.5	3	I
49.5	4.5	I
49.6	2.4	I
50	1	I
50	1.5	I
50	1.6	I
50	1.9	I
50	2	I
50	2.2	I
50	2.5	I
50	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
50	3.2	I
50	4	I
50	5	I
50	7	I
50	10	I
50	15.6	I
50.2	3	I
50.6	1.25	I
50.65	7.7	I
51	1	I
51	2	I
51	2.5	I
51	3	I
51	5	I
51.1	1.6	I
51.5	1.5	I
51.5	2	I
51.6	2.4	I
51.9	2.15	I
52	1	I
52	1.5	I
52	2	I
52	2.3	I
52	2.5	I
52	3	I
52	4	I
52	4.25	I
52	5	I
52.2	6.6	I
52.6	0.8	I
53	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
53	2.5	I
53	3.5	I
53	4	I
53	5.7	I
53	6	I
53	6.5	I
53.2	20	I
53.5	1.2	I
53.5	2	I
54	1	I
54	1.5	I
54	2	I
54	2.5	I
54	4	I
54	5	I
54	5.5	I
54	6	I
54	7	I
54.2	3	I
54.2	5.7	I
54.5	3	I
54.6	2.4	I
55	1.2	I
55	1.3	I
55	1.5	I
55	1.6	I
55	2	I
55	2.2	I
55	3	I
55	3.5	I
55	3.6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
55	4	I
55	5	I
55	5.7	I
55	6.5	I
55	12	I
55	1.2	I
55.58	6.99	I
56	2	I
56	2.5	I
56	3	I
56	4	I
56	5	I
56	5.2	I
56	6	I
56	7	I
56	9	I
56	12	I
56.5	1	I
57	1.5	I
57	2.5	I
57	3	I
57	3.8	I
57	4	I
57	4.1	I
57	5	I
57	6	I
57.04	1.6	I
57.15	6.35	I
57.2	5.7	I
57.6	2.4	I
58	1.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
58	2	I
58	2.5	I
58	3	I
58	3.5	I
58	4	I
58	6	I
58	7	I
59	0.8	I
59	1.5	I
59	2	I
59	2.5	I
59	3	I
59	5	I
59.2	5.7	I
59.4	2.8	I
59.5	3	I
59.6	2.4	I
60	1	I
60	1.5	I
60	2	I
60	2.5	I
60	3	I
60	4	I
60	4.5	I
60	6	I
60	7	I
60	8	I
60	10	I
60	12	I
60	16	I
60.05	6.6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
60.3	5	I
60.5	1	I
60.5	3	I
61	1.2	I
61	1.5	I
61	1.6	I
61	1.9	I
61	2	I
61	3.2	I
61	4	I
61	7	I
61.3	1.78	I
61.6	1	I
61.6	2.4	I
61.6	2.7	I
61.75	2	I
61	1.5	I
62	1.78	I
62	2.5	I
62	3	I
62	4	I
62	4.5	I
62	5	I
62	5.5	I
62	6	I
62	7	I
62	7.5	I
62	10	I
62	14	I
62.5	1	I
63	1.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
63	2	I
63	2.5	I
63	3	I
63	3.2	I
63	4	I
63	6	I
63	7	I
63	9	I
63.4	1	I
63.5	5	I
63.5	6.35	I
64	1.4	I
64	2	I
64	2.2	I
64	2.5	I
64	3.5	I
64	4	I
64	5	I
64	6	I
64	7	I
64.2	5.7	I
64.4	1.78	I
64.4	3	I
64.6	2.4	I
65	1.65	I
65	2	I
65	2.2	I
65	2.5	I
65	3	I
65	4	I
65	5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
65	7	I
65	9	I
65.4	1.67	I
65.5	1.5	I
65.5	2	I
66	2	I
66	3	I
66	5	I
67	1	I
67	1.5	I
67	2	I
67	2.1	I
67	2.5	I
67	2.8	I
67	3	I
67	4	I
67.1	1.6	I
67.1	1.92	I
67.31	2.29	I
67.5	5.7	I
68	2	I
68	2.4	I
68	2.5	I
68	3	I
68	4	I
68	5	I
68	6	I
68	7	I
69	1.5	I
69	5	I
69	8	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
69.2	5.7	I
69.4	2.8	I
69.5	3	I
69.6	2.4	I
70	1.2	I
70	2	I
70	2.5	I
70	3	I
70	4	I
70	5	I
70	6	I
70	7	I
70	8	I
70	10	I
70	13	I
70.2	5.5	I
70.5	2.4	I
71	1.56	I
71	3	I
71	3.5	I
71	4	I
71	4.5	I
71	7	I
71.3	5.7	I
71.5	1.6	I
72	2	I
72	2.2	I
72	2.5	I
72	3	I
72	3.5	I
72	4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
72	5	I
72	5.5	I
72	6	I
72	7	I
72.2	5.7	I
72.72	3.53	I
73	2	I
73	2.5	I
73	4	I
73	5	I
73	8	I
73.5	1.6	I
74	1	I
74	2	I
74	3	I
74	4	I
74	4.5	I
74	8	I
74	9	I
74.2	5.7	I
74.5	3	I
74.5	6.5	I
75	1	I
75	2	I
75	2.5	I
75	3.2	I
75	4	I
75	5	I
75	6	I
75	7	I
75	9	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
75	10	I
75.5	3	I
76	2	I
76	2.2	I
76	4	I
76	5	I
76.2	6.35	I
76.4	2.62	I
76.5	2.5	I
76.5	5.7	I
76.8	4.4	I
77	1	I
77	1.5	I
77	2	I
77	3	I
77	3.5	I
77	4	I
77.09	4.32	I
77.2	1.25	I
77.2	5.7	I
77.5	1.8	I
78	1.5	I
78	2	I
78	2.5	I
78	3	I
78	3.5	I
78	3.62	I
78	4	I
78	5	I
78	6	I
78	7	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
79	2	I
79	2.1	I
79	2.5	I
79	4	I
79	5	I
79	5.7	I
79	8	I
79.2	2.7	I
79.38	6.1	I
79.5	3	I
79.5	5.2	I
80	1.5	I
80	2	I
80	2.2	I
80	2.5	I
80	3.2	I
80	3.5	I
80	4	I
80	4.5	I
80	5	I
80	6	I
80	10	I
80	11	I
80.5	1.5	I
80.8	3.8	I
81	1.1	I
81	2	I
81	2.5	I
81	3	I
81	4	I
81.08	1.78	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
81.3	5.7	I
81.5	1.5	I
82	2.3	I
82	3	I
82	4	I
82	7	I
82.3	5.7	I
82.5	2.2	I
82.5	3.1	I
82.6	1.6	I
83	1	I
83	1.5	I
83	2	I
83	3	I
83	4	I
83	7	I
84	1.5	I
84	2	I
84	3.5	I
84	4	I
84	9	I
84	9.5	I
84.12	5.94	I
84.2	5.7	I
84.52	2.62	I
85	1.3	I
85	2	I
85	2.5	I
85	3	I
85	4	I
85	5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
85	6	I
85	7	I
85	8	I
85.2	5.7	I
85.5	3	I
86	1.25	I
86	1.5	I
86	1.6	I
86	2.2	I
86	2.5	I
86	4	I
86	4.1	I
86	4.5	I
86	7	I
86.36	2.03	I
87	2	I
87	7.9	I
87	10	I
87.2	5.7	I
87.45	6.2	I
87.45	6.98	I
87.6	4	I
88	1	I
88	1.5	I
88	2	I
88	2.5	I
88	3	I
88	4	I
88	4.5	I
88	6	I
88.8	5.7	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
88.9	7.1	I
89	1.5	I
89	1.6	I
89	4	I
89	4.9	I
89	5	I
89	8	I
89	8.5	I
89.2	5.7	I
89.5	2.5	I
89.5	3	I
90	1.5	I
90	2	I
90	3	I
90	3.5	I
90	4	I
90	4.5	I
90	5	I
90	7	I
90	8	I
90	10	I
90	11	I
90.5	1.6	I
90.5	2.62	I
90.78	6.35	I
91	3	I
92	1.1	I
92	1.5	I
92	2.5	I
92	3	I
92	3.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
92	4	I
92	5	I
92	7	I
92.1	1	I
92.2	5.7	I
92.33	1.78	I
92.5	2.2	I
92.76	2.62	I
93	1.25	I
93	2	I
93	6	I
93.34	12.7	I
93.5	2	I
93.5	2.5	I
93.6	3.53	I
94	1	I
94	2	I
94	4	I
94	5	I
94	7	I
94	8	I
94.2	5.7	I
94.3	3	I
94.4	2.4	I
95	1.5	I
95	2	I
95	5	I
95	6.8	I
95	7	I
95	8	I
96	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
96	2.62	I
96	3	I
96	4	I
96	4.5	I
96	6	I
96.5	2.62	I
96.6	1.6	I
96.6	10	I
97	4	I
97	5	I
97	8	I
97.23	1.88	I
97.3	5.7	I
98	4	I
98	5	I
98	6	I
98	7.5	I
98.17	6.99	I
99	4	I
99	5.7	I
99	7	I
99.1	2.4	I
99.4	3.1	I
99.5	3	I
100	1	I
100	1.5	I
100	1.78	I
100	2	I
100	2.5	I
100	2.5	I
100	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
100	3.5	I
100	4	I
100	4.5	I
100	5	I
100	6	I
100	7	I
100	8	I
100	10	I
100.97	6.99	I
100.99	2.49	I
101	2.8	I
101	3	I
101	4	I
101	4.3	I
101	10	I
101.3	7.2	I
1010	9	I
102	2	I
102	2.5	I
102	3	I
102	4	I
102	5	I
102.5	8	I
103	3	I
103	4	I
103	7	I
103.5	1.5	I
103.76	2.62	I
104	1.5	I
104	2	I
104	2.62	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
104	6	I
104.2	5.7	I
104.4	4	I
104.5	1.6	I
104.5	3	I
105	2	I
105	2.5	I
105	3	I
105	3.5	I
105	4	I
105	4.5	I
105	5	I
105	7	I
105	8.5	I
105	9.5	I
105	10	I
1050	9	I
106	2.5	I
106	3	I
106	3.5	I
106	4	I
106	4.2	I
106	5	I
106	6	I
106	7	I
106.4	2.6	I
106.5	2.4	I
106.88	4.78	I
107	2	I
107	2.5	I
107	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
107	3.3	I
107	4	I
107	5	I
108	1.5	I
108	3	I
108	3.2	I
108	4	I
108	4.5	I
108	5	I
108	7	I
108	8	I
108.5	2	I
108.5	5.8	I
108.6	4.76	I
108.8	8.4	I
1080	9	I
109	2	I
109	2.4	I
109	4	I
109	5	I
109	10	I
109.2	5.7	I
109.5	3	I
109.5	5.5	I
109.6	3.53	I
109.91	4.7	I
1090	9	I
110	1	I
110	1.5	I
110	1.6	I
110	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
110	2.25	I
110	2.5	I
110	3	I
110	4	I
110	4.5	I
110	5	I
110	6	I
110	7	I
110	8	I
110	10	I
110.03	4.78	I
110.5	1.2	I
110.5	2.4	I
110.5	3	I
111	2.7	I
111	4	I
111	4.35	I
111.38	2.33	I
1110	9	I
112	2.5	I
112	3	I
112	4	I
112	5	I
112	8	I
112	14	I
112.3	5.7	I
112.52	2.62	I
113	2	I
113	4	I
113.97	2.49	I
1130	9	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
114	1.6	I
114	4	I
114	5	I
114	8	I
114.2	5.7	I
114.5	3	I
115	1	I
115	2	I
115	2.3	I
115	2.5	I
115	3	I
115	3.5	I
115	4	I
115	4.1	I
115	4.5	I
115	5	I
115	6	I
115	6.5	I
115.5	2.4	I
115.8	5.8	I
116	3	I
116	3.5	I
116	3.65	I
116	4	I
116.5	4.1	I
116.7	4.4	I
1160	9	I
117	1.5	I
117	2	I
117	4	I
117.07	3.76	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
117.1	4.39	I
117.48	3.18	I
118	2	I
118	2.5	I
118	3	I
118	3.2	I
118	4	I
118	4.5	I
118	5	I
118	7	I
118.6	4.2	I
119	2	I
119	4	I
119	10	I
119.2	5.7	I
119.5	3	I
120	1.5	I
120	2	I
120	2.15	I
120	2.2	I
120	2.5	I
120	3	I
120	4	I
120	4.5	I
120	5	I
120	5.5	I
120	6.5	I
120	11	I
121	3	I
121	4	I
121	4.15	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
121.5	2.2	I
122	4	I
122	4.5	I
122	6	I
122	8	I
122.2	5	I
123	1.78	I
123	2.1	I
123	2.3	I
123	2.5	I
123	3	I
123	4	I
123	6.3	I
123	12	I
123.9	1.05	I
124	2	I
124	4	I
124	8	I
124	10	I
124	12	I
124.3	5.7	I
124.5	3	I
124.5	4	I
125	2	I
125	2.5	I
125	3.5	I
125	4.5	I
125	5	I
125	6	I
125	8.3	I
125	10	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
126	2.2	I
126	2.5	I
126	3	I
126	4.5	I
126.5	14	I
127	4	I
127	4.2	I
127.9	1.9	I
128	1.8	I
128	2	I
128	2.5	I
128	5	I
128	7	I
128.5	4.8	I
129	4	I
129	6	I
129.2	5.7	I
129.5	3	I
129.5	4	I
130	2.5	I
130	4	I
130	4.3	I
130	4.5	I
130	5	I
130	6	I
130	6.5	I
131	2	I
131	2.62	I
131	3	I
131	3.5	I
131.2	5.7	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
131.5	4.5	I
132	1.5	I
132	2.3	I
132	2.5	I
132	3.2	I
132	4	I
132	5	I
132.5	1.6	I
132.5	2.4	I
132.5	5.7	I
133.5	3	I
134	5.8	I
134	11	I
134.2	5.7	I
135	1.5	I
135	2	I
135	2.2	I
135	3	I
135	3.2	I
135	3.5	I
135	4	I
135	4.5	I
135	5	I
135	5.5	I
135	10	I
135	12	I
135	12.5	I
135.48	3.73	I
136	4	I
136	10	I
136.07	4.32	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
136.5	3	I
137	2.5	I
137	2.6	I
137	5	I
137.5	2	I
137.5	4.1	I
138	2.1	I
138	3	I
138	3.5	I
138	6	I
139	4.2	I
139.3	5.7	I
139.5	3	I
140	1.5	I
140	1.78	I
140	1.9	I
140	2	I
140	2.5	I
140	3	I
140	3.5	I
140	4	I
140	4.5	I
140	5	I
140	7	I
140	8	I
140	15	I
140.46	4.32	I
141	1.9	I
141	5	I
141.27	3.18	I
142	2.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
142	4	I
142.5	1.73	I
142.8	5.8	I
143	2	I
143	4.5	I
143	5.7	I
143.5	1.5	I
143.5	1.6	I
144	4	I
144	5	I
144.02	3.99	I
144.1	8.4	I
144.3	5.7	I
144.6	3.53	I
145	1.5	I
145	2.3	I
145	2.5	I
145	3	I
145	4.5	I
145	4.75	I
145	5.5	I
145.7	8.3	I
146	6	I
146	11	I
147	2.5	I
147	5.7	I
148	4	I
148	5	I
148	6	I
148	8	I
148.8	3.3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
149	3	I
149.1	8.4	I
149.3	5.7	I
150	2	I
150	2.5	I
150	3	I
150	3.5	I
150	4	I
150	4.5	I
150	5	I
150	6	I
150	6.5	I
150	8	I
151	5	I
151	13	I
152	4	I
152	5.1	I
152	10	I
152.4	13	I
152.5	2.5	I
153	3	I
153.5	1.6	I
153.5	5	I
154	4	I
154	9.5	I
154.1	8.4	I
154.3	5.7	I
154.5	3	I
155	1.5	I
155	2	I
155	2.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
155	4.5	I
155	5	I
155	10	I
156	3	I
156	3.5	I
156	4	I
156	8	I
156.11	6.22	I
157	6	I
157	7	I
157	8.3	I
158	0.9	I
158	2	I
158	3	I
158	6	I
158.75	6.35	I
159.1	8.4	I
159.3	5.7	I
160	1.6	I
160	2.5	I
160	3	I
160	3.5	I
160	4	I
160	4.5	I
160	5	I
160	6	I
160	8	I
160	10	I
162	2	I
162	2.5	I
162	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
162.5	2.9	I
162.56	5.33	I
163	5	I
164	2	I
164	3	I
164.1	8.4	I
164.3	5.7	I
165	2	I
165	2.5	I
165	3	I
165	4	I
165	4.5	I
165	5	I
165	7.5	I
166	2.65	I
166	6	I
166	10	I
166	12.7	I
166.5	2	I
167	2.5	I
167	3	I
167.28	8	I
168	3	I
168	3.53	I
168	4	I
168	5	I
169.1	8.4	I
169.2	5.7	I
170	2	I
170	2.5	I
170	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
170	3.5	I
170	4.5	I
170	5	I
170	6	I
170	10	I
170	12	I
170	15	I
171	4	I
171	11	I
172	1.5	I
172	3	I
172	4.5	I
172	6	I
172	10	I
173	2	I
174	3.2	I
174.1	8.4	I
174.2	5.7	I
174.5	3	I
175	1.78	I
175	2	I
175	2.5	I
175	2.62	I
175	3.5	I
175	4	I
175	4.5	I
175	5	I
175	8	I
176	5.5	I
176	6	I
176.5	1.78	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
177	1.5	I
177	3	I
177	10	I
178	4	I
178	6	I
179	2	I
179	3	I
179	15.5	I
179.1	8.4	I
179.3	5.7	I
180	1.5	I
180	2.5	I
180	3	I
180	3.5	I
180	4	I
180	4.5	I
180	5	I
180	6	I
180	8	I
180	12	I
181	2	I
181.2	2.62	I
181.67	5.34	I
181.86	3.53	I
182	3	I
182	6	I
184	1.78	I
184.1	8.4	I
184.3	5.7	I
184.5	3	I
184.66	4.78	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
185	1.6	I
185	1.78	I
185	3	I
185	4	I
185	4.5	I
185	5	I
185	6	I
185	7.5	I
185.34	3.53	I
185.5	2.5	I
186	7	I
186	10	I
187.5	12	I
188	2	I
188	3	I
188	8	I
188.5	6	I
189.1	8.4	I
189.3	5.7	I
189.5	3	I
190	2.5	I
190	4	I
190	5	I
190	20	I
190.8	4.8	I
191	8.5	I
192	2	I
192	2.5	I
192	3	I
192	4	I
192	8	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
193.37	1.78	I
194	6.1	I
194.1	8.4	I
194.2	5.7	I
195	1.5	I
195	2.5	I
195	3	I
195	4	I
195	4.5	I
195	5	I
195	6.35	I
195	6.75	I
196	8	I
196	8.5	I
196	12	I
196.5	1.78	I
197	3	I
197	4.5	I
198	7	I
198.8	3.8	I
199.1	8.4	I
199.2	5.7	I
199.3	3	I
200	1.78	I
200	2.5	I
200	3	I
200	3.5	I
200	4	I
200	4.5	I
200	5	I
200	6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
200	8	I
200	9	I
200	10	I
200	15	I
202	4	I
204.1	8.4	I
204.2	5.7	I
205	1.5	I
205	2	I
205	2.6	I
205	3	I
205	4	I
205	5	I
205	5.33	I
205	10	I
206.7	5.5	I
207	3	I
207.95	6.35	I
208	6	I
208.9	6.99	I
209.1	8.4	I
209.3	5.7	I
210	2	I
210	3	I
210	4	I
210	5	I
210	9.5	I
210	10	I
211.99	3.5	I
212	2	I
212	7	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
214	2.62	I
214	4	I
215	2.2	I
215	3	I
215	5	I
215	6	I
216	1.5	I
216	2	I
216	4	I
217	5	I
217	7.5	I
217.6	7	I
219	23	I
219.1	8.4	I
219.3	5.7	I
219.5	3.2	I
219.5	7.75	I
220	2.5	I
220	3.5	I
220	4	I
220	5	I
220	8	I
220	10	I
221	2	I
222	6	I
224	9.5	I
225	3	I
225	4	I
225	5	I
225	10	I
226	6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
226.82	2.5	I
227	3	I
228	4	I
228	11	I
228.6	7.67	I
229.1	8.4	I
229.3	5.7	I
230	2	I
230	2.5	I
230	3	I
230	4	I
230	5	I
230	6	I
230	7	I
230	7.5	I
230	8	I
230.84	3.53	I
231.8	7.25	I
232	10	I
233	3	I
234.1	8.4	I
235	2.5	I
235	3	I
235	4	I
235	5	I
235	5.7	I
235	8	I
235	9.5	I
237	3	I
237	4.5	I
238	2	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
238	6.3	I
239.1	8.4	I
239.3	5.7	I
239.5	8	I
240	3	I
240	4	I
240	4.5	I
240	5	I
240	10	I
241	1.78	I
242	4	I
242	5	I
242	6	I
243	3	I
243	8.5	I
244	7	I
245	3	I
245	4	I
245	5	I
245	8	I
247	3	I
247	6	I
247.8	9.3	I
249.1	8.4	I
249.3	5.7	I
250	1.5	I
250	3	I
250	4	I
250	4.6	I
250	5	I
250	6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
250	8	I
251	7	I
251.3	3.53	I
252	5	I
254	7.72	I
255	3	I
255	4	I
255	5	I
258	6.3	I
259.3	5.7	I
260	1.78	I
260	2.5	I
260	3	I
260	3.5	I
260	4	I
260	5	I
260	5.33	I
260	6	I
260	8	I
262	4	I
262	6	I
263	2.5	I
263.5	3.53	I
264	1.78	I
264	3	I
264.8	6.6	I
265	2	I
265	4	I
265	5	I
268	8	I
268.8	8.4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
269	3.2	I
269.3	5.7	I
269.5	6.99	I
270	2.2	I
270	3.5	I
270	4	I
270	5	I
270	6	I
271	3	I
272	2.5	I
273	3	I
275	4	I
275	4.5	I
275	5	I
275	9	I
275.5	1.78	I
278	3.2	I
278	12.7	I
278.8	7.4	I
279.3	5.7	I
280	3	I
280	4	I
280	8	I
281	5	I
281.5	1.6	I
283	1.78	I
284	3.5	I
285	4	I
285	5	I
286	2.62	I
287	3	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
287	10	I
288	2.62	I
288	4	I
288	6	I
289	3.5	I
289.3	5.7	I
289.3	6.5	I
290	3	I
290	5	I
290	8	I
290.5	2.62	I
291.47	7	I
294	11.5	I
295	1.5	I
295	3	I
295	5	I
295	7	I
297	4	I
298	2.5	I
299.1	8.4	I
299.3	5.7	I
300	2.5	I
300	3	I
300	3.5	I
300	4	I
300	5	I
300	6	I
300	8	I
300	9	I
300	10	I
300	12.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
300	15	I
302	3.5	I
302	6	I
302.26	2.94	I
304	3	I
305	4	I
305	5	I
305	6	I
305	10	I
309.3	5.7	I
310	3	I
310	4	I
310	5	I
310	6	I
310	8	I
311.15	2.62	I
313	3.53	I
314	8	I
315	3	I
315	4	I
315	5	I
315	6	I
315	10	I
316	5.33	I
316	9	I
318.01	5.51	I
319.3	5.7	I
319.5	6	I
320	3	I
320	3.5	I
320	4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
320	5	I
320	6.5	I
320	7	I
320	8	I
323	4	I
323.85	9.52	I
324	8	I
324.1	8.4	I
325	3	I
325	4	I
325	5	I
325	6	I
327	6.3	I
328	11	I
328.5	1.78	I
329	3	I
329.1	8.4	I
330	1.5	I
330	3.1	I
330	4	I
330	5	I
330	6	I
330	8	I
330	9.5	I
330	13	I
330.5	8.6	I
335	3	I
335	4	I
335	5	I
335	6	I
335	9	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
337.3	2.45	I
338	2.62	I
338	3.5	I
338	6	I
339.3	5.7	I
340	4	I
340	5	I
340	6	I
342	3	I
343	3.53	I
343	11	I
345	4	I
345	5	I
345	6	I
345	7	I
347	9	I
348	1.78	I
348	12	I
349.25	2.62	I
349.3	5.7	I
350	3	I
350	4	I
350	5	I
350	5.5	I
350	6	I
350	10	I
354.3	5.7	I
355	3	I
355	4	I
355	5	I
355	6	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
359.3	5.7	I
359.4	3.1	I
360	3	I
360	4	I
360	5	I
360	6	I
360	7	I
360	7.5	I
360	8	I
360	9	I
360	15	I
362	1.78	I
365	3	I
365	4	I
365	5	I
365	6	I
368	6	I
368	8	I
370	3	I
370	4	I
370	5	I
370	6	I
371	8.5	I
374	4	I
374	10	I
375	5	I
377	3	I
377	8	I
379.3	5.7	I
380	3	I
380	4	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
380	5	I
380	6	I
380	10	I
385	3	I
385	5	I
385	12.7	I
385.5	6	I
385.5	8.4	I
389.1	8.4	I
389.3	5.7	I
390	3	I
390	4	I
390	6	I
390	9	I
392	5	I
394	4	I
394	6	I
395	5.33	I
396	12	I
396	16	I
399.3	5.7	I
399.41	5.33	I
400	1.6	I
400	2	I
400	3	I
400	4	I
400	5	I
400	6	I
400	7	I
402	9	I
404	8	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
406	3.1	I
406	6	I
410	3	I
410	4	I
410	5	I
410	6	I
410	8.5	I
410	9	I
411	2.8	I
415	5	I
415.9	4.77	I
417.9	5.33	I
419.1	8.4	I
419.3	5.7	I
420	2.5	I
420	4	I
420	5	I
420	8	I
422	3	I
423	9	I
425	4	I
425	5	I
425	6	I
430	4	I
430	5	I
431.5	6	I
432	8.5	I
434	5	I
434.1	8.4	I
435	8	I
439	5.5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
439.3	5.7	I
439.34	5.33	I
440	3	I
440	4	I
440	5	I
440	9	I
442	12	I
442.46	7.7	I
443	8.4	I
444	8	I
444.4	5.7	I
445	5	I
445	9	I
448	2	I
450	4	I
450	5	I
451	9	I
453	5.7	I
455	8.4	I
459.1	4.57	I
459.3	5.7	I
460	3	I
460	4	I
460	5	I
460	7	I
460	8	I
460	12	I
461.29	5.33	I
463	8.4	I
470	4	I
470	5	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
470	10	I
475	5	I
479.3	5.7	I
480	4	I
480	5	I
480	6	I
480	9	I
480	10	I
482.5	8.4	I
483	2.62	I
488	7.5	I
490	4	I
490	5	I
490	7	I
490	8	I
490	9	I
490	10	I
491.49	5.33	I
492	9	I
493.7	5.33	I
494.03	4.57	I
499.3	5.7	I
500	4	I
500	5	I
500	7	I
500	9	I
501.65	3.18	I
505	8	I
510	4	I
510	9	I
510	12	I



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
512.5	2.5	I
514	8	I
523.9	1.78	I
530	3	I
540	9	I
544	3	I
550	8	I
550	9	I
555	3	I
560	4	I
566	9	I
568	6	I
580	9	I
596.9	5.33	I
600	5	I
600	7	I
600	9	I
630	9	I
640	9	I
660	9	I
680	9	I
710	9	I
730	9	I
750	9	I
780	9	I
800	9	I
850	9	I
865	9	I
900	9	I
930	9	I
1.5	1	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
1.78	1.78	C
1.8	2.2	C
2	1	C
2	1.5	C
2.15	0.6	C
2.2	1	C
2.4	1.05	C
2.4	1.3	C
2.5	1	C
2.5	1.5	C
2.6	1	C
2.6	1.2	C
2.6	1.7	C
2.8	1.6	C
3	0.5	C
3	1	C
3	1.2	C
3	1.5	C
3	2	C
3.1	1.6	C
3.2	1.5	C
3.5	0.9	C
3.5	1	C
3.5	1.2	C
3.5	1.5	C
3.55	1.8	C
3.56	0.64	C
3.6	2.4	C
3.68	1.9	C
3.7	0.85	C
3.7	1.6	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
3.8	1.5	C
3.9	1.27	C
4	1	C
4	1.5	C
4	2	C
4	2.2	C
4	3	C
4.1	1.6	C
4.3	2.4	C
4.5	1.5	C
4.57	1.02	C
5	1	C
5	1.2	C
5	1.5	C
5	2	C
5	2.5	C
5.1	1.1	C
5.1	1.6	C
5.3	2.4	C
5.5	1	C
5.5	1.5	C
5.6	2.4	C
5.8	1	C
5.82	1.2	C
5.84	0.94	C
5.84	1.55	C
6	0.8	C
6	1	C
6	1.2	C
6	1.5	C
6	2	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
6.07	0.76	C
6.2	1.5	C
6.25	2.01	C
6.3	1.22	C
6.3	2.4	C
6.6	2.4	C
6.7	1	C
6.7	2	C
7	1	C
7	1.5	C
7	2	C
7.1	1.6	C
7.3	1	C
7.3	2.4	C
7.5	1	C
7.5	1.5	C
7.5	2.5	C
7.6	2.4	C
7.65	1.37	C
7.77	3.59	C
7.8	2	C
8	0.8	C
8	1	C
8	1.5	C
8	1.6	C
8	2	C
8	2.5	C
8	2.7	C
8	4	C
8	5	C
8.1	1.6	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
8.3	1.5	C
8.3	2.4	C
8.5	1.5	C
8.6	2.4	C
9	1	C
9	1.2	C
9	1.5	C
9.1	1.6	C
9.3	2.4	C
9.5	1.5	C
9.5	1.6	C
9.5	2	C
9.5	3.4	C
9.6	2.4	C
9.7	1.3	C
9.75	1.78	C
10	1	C
10	1.42	C
10	1.5	C
10	2	C
10	2.5	C
10	3	C
10	3.5	C
10	4	C
10.1	1.2	C
10.27	1.06	C
10.3	2.4	C
10.6	2.4	C
10.8	1.5	C
11	1	C
11	1.3	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
11	1.5	C
11	2	C
11	2.5	C
11.1	1.6	C
11.2	1.1	C
11.3	2.4	C
11.58	1.5	C
11.5	2	C
11.5	2.5	C
11.5	3	C
11.6	1.3	C
11.6	2.4	C
11.82	1.78	C
11.9	1.02	C
12	1.1	C
12	2	C
12	2.5	C
12	3	C
12	4.5	C
12.1	1.6	C
12.1	1.8	C
12.2	2.04	C
12.5	0.8	C
12.5	2	C
12.5	2.5	C
12.6	2.4	C
13	1	C
13	1.5	C
13	2	C
13	3	C
13.4	1.9	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
13.5	1.5	C
13.5	2	C
13.5	2.5	C
13.6	3	C
13.8	2.1	C
14	1.5	C
14	1.6	C
14	2	C
14	2.5	C
14	3	C
14	5	C
14.1	1.6	C
14.3	2.4	C
14.35	1.52	C
15	1	C
15	1.18	C
15	1.5	C
15	2	C
15	2.5	C
15	3	C
15	3.5	C
15	5	C
15.3	2.4	C
15.5	1.5	C
15.6	2.4	C
15.7	1.02	C
16	1.25	C
16	1.5	C
16	2	C
16	2.5	C
16	3.5	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
16	3.55	C
16.35	0.76	C
16.6	2.4	C
16.7	1.6	C
17	1	C
17	1.5	C
17	2	C
17.1	1.6	C
17.3	2.4	C
17.5	1.5	C
17.6	2.4	C
17.9	2.4	C
18	1	C
18	1.18	C
18	1.5	C
18	2	C
18	2.5	C
18	5	C
18	6	C
18.1	1.6	C
18.3	2.4	C
18.5	1.5	C
19	1.5	C
19	1.8	C
19	3	C
19.05	6.35	C
19.1	1.6	C
19.4	2.1	C
19.5	1	C
19.6	2.4	C
20	1	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
20	1.5	C
20	2	C
20	2.5	C
20	3	C
20	3.15	C
20	4	C
20	5	C
20.07	1.78	C
20.3	2.4	C
21	1.5	C
21	2	C
21	2.5	C
21	3.5	C
21	6	C
21.3	2.4	C
21.3	3	C
21.6	2.4	C
22	1.5	C
22	2	C
22	2.5	C
22	3	C
22	4	C
22	5	C
22	7	C
22.3	2.4	C
22.4	2.65	C
22.4	3.15	C
23	1	C
23	1.5	C
23	2.5	C
23	3	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
23	4	C
23.3	2.4	C
23.7	2.8	C
24	1.5	C
24	2	C
24	2.5	C
24	3	C
24	3.5	C
24	5	C
25	1	C
25	1.5	C
25	2	C
25	5	C
25.3	2.4	C
25.4	6.35	C
25.79	1	C
26	1.5	C
26	2	C
26	2.5	C
26	3	C
26	4	C
26	7	C
27	2	C
27	2.5	C
27	3	C
27.2	0.79	C
27.3	2.4	C
27.5	1	C
27.79	2.11	C
28	1.5	C
28	2	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
28	3	C
28	3.15	C
28	5	C
29	1	C
29	1.5	C
29	3	C
30	1.5	C
30	2.5	C
30	3	C
30	3.5	C
31	2	C
31	3	C
31	4	C
31.5	1.5	C
31.5	3	C
32	2	C
32	3	C
33	2	C
33	3	C
34	2	C
34	2.5	C
34	3	C
34	4	C
35	2	C
35	3	C
35	8	C
35.1	1.6	C
36	1.5	C
36	3	C
36	6	C
36.5	1	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
38	2	C
38.7	5.3	C
39	3	C
39	6.5	C
39.5	3	C
40	2	C
40	5	C
41	4	C
42	3	C
42	4	C
42	5	C
42	9	C
44	3	C
44	5	C
44.6	2.4	C
45	2	C
45	2.5	C
45	3	C
45	4	C
46	2	C
46	3	C
48	2	C
48	2.5	C
49	3	C
49.2	5.7	C
50	2	C
50	3	C
50	3.5	C
50	5	C
51	3.6	C
51.5	1.5	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
52	2	C
52	3	C
52.6	1.78	C
53	3	C
54.2	5.7	C
55	5	C
58	2.5	C
58	3	C
58	7	C
60	2	C
60	3.5	C
60	4.5	C
60	5	C
60	6	C
62	3	C
63	2	C
63	4	C
64	2	C
64	3	C
66	3	C
67	4	C
68	2	C
68	5	C
70	3	C
70	4	C
72	3	C
72	4	C
72	2.5	C
78	3	C
79	7	C
80	4	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
80	5	C
80	8	C
82.2	5.7	C
83	2	C
84	3.5	C
84.2	5.7	C
85	3	C
85	4	C
90	2.5	C
90	4	C
90	5	C
92	4	C
94	8	C
94.2	5.7	C
99.2	5.7	C
1000	10	C
1000	15	C
1000	8	C
101.5	3	C
1010	6.99	C
1015	25	C
1040	7	C
1045	5.33	C
1050	8	C
1050	9	C
1051	5.34	C
106	6	C
1068	8	C
108	3	C
1080	7	C
1082	5.34	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
1090	6.99	C
110	4	C
1100	6.99	C
1100	9	C
1110	9	C
112	3	C
1135	5.33	C
115	3	C
115	5	C
1157	5.33	C
117	4	C
118	6	C
119	8	C
120	3	C
120	4	C
120	6	C
122	3	C
122	4	C
122	6	C
127	4	C
129.3	5.7	C
130	4	C
130	5	C
130	6	C
132	4	C
134.5	3	C
135	5	C
137.8	2.5	C
138	2.1	C
138	4	C
140	2.5	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
140	4	C
140	5	C
140	6	C
140	15	C
144	6	C
145	4	C
148	8	C
149	3	C
149.5	8.4	C
150	3	C
150	4	C
152	4	C
154	3	C
154.4	2.62	C
160	3	C
160	4	C
160	5	C
164.5	3	C
165	2.4	C
169.2	5.7	C
169.5	3	C
170	15	C
171	5	C
172	4	C
175	5	C
175.5	4.3	C
179	3	C
179.2	5.7	C
180	4	C
180	5	C
180	8	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
184.3	5.7	C
185	3	C
185	5	C
186	3.5	C
186	7	C
188	4	C
188	6	C
188	8	C
189.2	5.7	C
190	4	C
190	5	C
192	2	C
192	4	C
195	2.5	C
195	3	C
195	5	C
198	4	C
200	3	C
200	5	C
200	6	C
200	15	C
201.98	2.01	C
203	3	C
205	5	C
205	15	C
210	3	C
210	4	C
210	5	C
214.5	8.4	C
216	8	C
217	5	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
217.5	5	C
290	4	C
290	7	C
294.5	8.4	C
300	5	C
305	4	C
310	5	C
320	3	C
320	4	C
320	7	C
328	7	C
330	5	C
330	8	C
330	10	C
340	5	C
340	8.6	C
345	7	C
345.57	3.53	C
347	9	C
350	5	C
350	10	C
359.5	8.4	C
360	5	C
360	7.5	C
360	8	C
368	6	C
370	4	C
370	5	C
370	10	C
380	5	C
386	6	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
390	9	C
390	16	C
397.7	5.7	C
399.5	8.4	C
400.48	5.33	C
402	5	C
405	10	C
412	10	C
419.1	8.4	C
419.3	5.7	C
420	9	C
420	10	C
420	12.7	C
425	5	C
426	4	C
430	6	C
440	7	C
440	9	C
444	8	C
448	6	C
450	4	C
456	7.5	C
460	4	C
460	7	C
460	8	C
464	7.5	C
466.06	5.34	C
469.9	6.35	C
470	2.5	C
470	10	C
474	3.5	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
475	10	C
476.5	6.99	C
480	9	C
482.6	6.35	C
488.5	3	C
490	10	C
492.13	5.33	C
500	8	C
503	10	C
505	10	C
508	6.35	C
509	3.5	C
510	4	C
516	12	C
520	8	C
525	5	C
530	4	C
530	9	C
535	5.7	C
540	6	C
545	3	C
550	7	C
550	9	C
560	6	C
575	6	C
580	5.7	C
585	16	C
586	7.5	C
587	10	C
589	3.53	C
590	6	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
595	16	C
596.9	5.33	C
598	12	C
599.6	14.4	C
600	5	C
600	9	C
608	6.4	C
608	8.4	C
608.08	9	C
622	8	C
623	9	C
625	6	C
629.3	5.7	C
630.6	8.2	C
640	8	C
640	9	C
641.6	8.7	C
643.9	8.4	C
645	7	C
650	10	C
660	5.7	C
660	9	C
662	6.9	C
670	7	C
680	7	C
680	8.4	C
681	8.2	C
690	5.3	C
700	8.4	C
705	3.53	C
705	7	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
713	7	C
715	8.4	C
719	6.9	C
728.98	13.97	C
730	9	C
738	10	C
742	10	C
750	7	C
752.5	8.4	C
760	7	C
760	8	C
768	8.4	C
770	7	C
770	8.3	C
774.1	8.4	C
780.47	5.33	C
790.3	8.4	C
800	8.4	C
800	10	C
805	5.33	C
810	8.4	C
810	9	C
813	12	C
820	8	C
829	10	C
838	5	C
845	10	C
847	5.33	C
850	5	C
850	20	C
865	9	C



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
881	7	C
883	3	C
885	4	C
888	8.4	C
900	7	C
925	7	C
925	10	C
936	10	C
950	8	C
950	10	C
957	7	C
960	10	C
975	5.33	C
975	6.99	C
990	9	C
2.6	0.8	I/V
2.6	0.9	I/V
3	1.1	I/V
3	1.5	I/V
3.5	1.1	I/V
3.5	1.25	I/V
3.5	1.5	I/V
5.85	2.4	I/V
6	2.2	I/V
7.16	2.25	I/V
7.8	1.1	I/V
7.9	3.6	I/V
8	2	I/V
9.2	2	I/V
10.1	1.6	I/V
11	2	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
11.8	2	I/V
11.9	1.78	I/V
12	10.6	I/V
12.4	3.35	I/V
12.8	1.6	I/V
13	1.25	I/V
13.6	2.4	I/V
14	3.1	I/V
15	1.8	I/V
15.1	1.6	I/V
16	2	I/V
16.1	1.6	I/V
17	1.5	I/V
17.4	2.1	I/V
18	8	I/V
19.5	3	I/V
19.5	3.5	I/V
19.7	4	I/V
20.22	3.53	I/V
21	5	I/V
22.5	3	I/V
24.5	3.1	I/V
24.6	2.4	I/V
25	3	I/V
25.1	1.6	I/V
25.5	3	I/V
26	2	I/V
226	2.5	I/V
26	4	I/V
26	6	I/V
26.5	3	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
29.1	1.6	I/V
29.2	2	I/V
29.5	1.2	I/V
30	2	I/V
30	4	I/V
31.5	1.5	I/V
31.6	2.4	I/V
32	2.2	I/V
34	5	I/V
35	4	I/V
36.5	3	I/V
37	2	I/V
37	5	I/V
37.5	3	I/V
37.5	3.15	I/V
38	1	I/V
38	2	I/V
38	3	I/V
38	3.15	I/V
38.7	2.65	I/V
39	1.5	I/V
39.6	2.4	I/V
40	1.5	I/V
40	2.25	I/V
41.2	3	I/V
43	2.5	I/V
43	3	I/V
43.5	5.5	I/V
44	2	I/V
44.2	4.2	I/V
44.25	4.2	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
46	2.5	I/V
46	4	I/V
47	2	I/V
47	3	I/V
47	4	I/V
47	10	I/V
48.5	4.2	I/V
49	1.5	I/V
49.5	3	I/V
50	2.5	I/V
50	3	I/V
50	4	I/V
50	7	I/V
54	2.5	I/V
54	3	I/V
54	4	I/V
55	1.2	I/V
56	3	I/V
57	2	I/V
57	2.5	I/V
57	4	I/V
59	4	I/V
60	1.5	I/V
60	2	I/V
60	2.5	I/V
61.6	1	I/V
62	1.5	I/V
62	3	I/V
62.6	2.4	I/V
63	4	I/V
63.4	1	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
65	2.5	I/V
65	3	I/V
67	3	I/V
68	2	I/V
68	2.5	I/V
70	1	I/V
70	3	I/V
70	4	I/V
70	4.5	I/V
70	5	I/V
72	2.5	I/V
73	3	I/V
73	4	I/V
74	2	I/V
74	4	I/V
75	2.5	I/V
75	3	I/V
75	4	I/V
76	2	I/V
76	2.5	I/V
76	4	I/V
77	7	I/V
78	4	I/V
79.2	5.7	I/V
80	1.5	I/V
80	6	I/V
81	3	I/V
81.99	2.01	I/V
82	1.5	I/V
82	2.5	I/V
82	4	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
82	5	I/V
83	3	I/V
84	4	I/V
85	5	I/V
85.5	2.5	I/V
86	3	I/V
86	4	I/V
88	2	I/V
88	5	I/V
90	1	I/V
90	2	I/V
90	2.5	I/V
90	3.5	I/V
92.1	1	I/V
93	2	I/V
93	3.5	I/V
94	1.5	I/V
95	4	I/V
95	5	I/V
96	2	I/V
96	3	I/V
96	4	I/V
98	4	I/V
99	3	I/V
100	1	I/V
100	1.5	I/V
101	3	I/V
102	2	I/V
102	2.5	I/V
102	4	I/V
103	2	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
103	3.5	I/V
104	4	I/V
105	2.5	I/V
105	3	I/V
105	4	I/V
106	2	I/V
106	3	I/V
107	2.5	I/V
108	3	I/V
109	5.5	I/V
110	2	I/V
110	2.25	I/V
110	5	I/V
112	1.5	I/V
114	5.5	I/V
115	2	I/V
115	2.5	I/V
115.5	9.5	I/V
116	3	I/V
116	4	I/V
117	4	I/V
118.39	2.57	I/V
120	1	I/V
120	2	I/V
122	3	I/V
122	5	I/V
123	1.78	I/V
124	3	I/V
125	4	I/V
126	4	I/V
128	2	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
128	2.2	I/V
128	2.5	I/V
128	6	I/V
129	2	I/V
129	2.62	I/V
131.55	2.57	I/V
132	3	I/V
133.6	2.2	I/V
135	2.5	I/V
138	1.9	I/V
140	1.9	I/V
140	2.8	I/V
140	3.8	I/V
142	3	I/V
142	4	I/V
144	3.8	I/V
144.5	3	I/V
148	2	I/V
148	2.5	I/V
150	2	I/V
150	2.5	I/V
150	6	I/V
152	2.5	I/V
153	3	I/V
154	4	I/V
155	3	I/V
155	3.53	I/V
155	5	I/V
158.8	4.5	I/V
160	3	I/V
164.2	5.84	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
165	4	I/V
165	4.5	I/V
165	5	I/V
167	3	I/V
172	4	I/V
172	7	I/V
175	4	I/V
180	2	I/V
182	3	I/V
185	4.5	I/V
186	3.5	I/V
188	2	I/V
189	3	I/V
192	2	I/V
192	2.5	I/V
195	2.5	I/V
200	4	I/V
204.2	5.7	I/V
208	8	I/V
215	5	I/V
225	5	I/V
230	3	I/V
230	5.6	I/V
233	3	I/V
235	2.5	I/V
238	5	I/V
240	5	I/V
245	3	I/V
245	6	I/V
247.5	4.5	I/V
250	3	I/V



SENECA RUBBER TECHNOLOGIES LLC

AVAILABLE METRIC MOLDS

PH: 877-986-7464 FAX: 304-725-5477

WWW.SENECARUBBER.COM

I=INJECTION

C-COMPRESSION

I/V-INJECTION FOR FKM ONLY

internal diameter	cross section	code
250	5	I/V
255	5	I/V
260	4	I/V
260	5	I/V
270	3	I/V
270	5	I/V
275	4	I/V
280	2.5	I/V
280	5	I/V
280	10	I/V
284	10	I/V
290	3	I/V
290	5	I/V
297	4	I/V
300	3	I/V
308	10	I/V
310	3	I/V
325	3.52	I/V
335	6	I/V
350	5	I/V

